## **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 6:		(11) International Publication Number: WO 99/62354
A23G 3/30	A1	(43) International Publication Date: 9 December 1999 (09.12.99)
(21) International Application Number: PCT/USS  (22) International Filing Date: 5 June 1998 (COMPANY (INTERPRETARING PROTECTION OF THE PRO	obert, Park, partme HINSO lighland JS]; 16 STILE ridge,	BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE GH, GM, GW, HU, ID, IL, IS, JP, KB, KG, KP, KR, KZ LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPC patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  Published With international search report.
(54) Title: METHOD OF CONTROLLING RELEASE O AND GUM PRODUCED THEREBY	P N-S	UBSTITUTED DERIVATIVES OF ASPARTAME IN CHEWING GUI

The present invention includes a method for producing a chewing gum with a modified release sweetener selected from the group of N-substituted derivatives of aspartame, particularly neotame, as well as the chewing gum so produced. The modified release neotame or other N-substituted derivative of aspartame sweetener is obtained by physically modifying the sweetener properties by coating and drying. Neotame or another N-substituted derivative of aspartame sweetener is coated by encapsulation, partially coated by agglomeration, entrapped by absorption or extrusion, or treated by multiple steps of encapsulation, agglomeration, absorption, or extrusion. The coated sweetener is then co-dried and particle sized to produce a release-modified high-intensity sweetener. When incorporated into the chewing gum, these particles are adapted to enhance the shelf stability of the sweetener and/or produce a modified release when the gum is chewed.

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

Ĺ	Albania	RS.	Spein	LS	Lesotho	SI	Slovenia
M	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	Prance	LU	Luxembourg	8N	Sonegal
AU	Anstralia	GA	Gabon	LV	Latvia	8Z	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascur	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistun
BF	Burkina Paso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobego
BJ	Benin	IR	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	18	Iceland	MW	Malawi	บร	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CIF	Central African Republic	JP	Japan	NE	Niger	VN	Viot Nam
CG	Congo	KE	Копуа	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbebwo
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Pederation		
DE	Germany	u	Liechtonstein	8D	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
RE	Estonia	LR	Liberia	8G	Singapore		

WO 99/62354 PCT/US98/11741

1

#### METHOD OF CONTROLLING RELEASE OF N-SUBSTITUTED DERIVATIVES OF ASPARTAME IN CHEWING GUM AND GUM PRODUCED THEREBY

#### BACKGROUND OF THE INVENTION

The present invention relates to methods for producing chewing gum. More particularly the invention relates to producing chewing gum containing high-potency sweeteners which have been treated to control their release and enhance shelf-life stability.

10

5

In recent years, efforts have been devoted to controlling release characteristics of various ingredients in chewing gum. Most notably, attempts have been made to delay the release of sweeteners and flavors in various chewing gum formulations to thereby lengthen the satisfactory chewing time of the gum. Delaying the release of sweeteners and flavors can also avoid an undesirable overpowering burst of sweetness or flavor during the initial chewing period. On the other hand, some ingredients have been treated so as to increase their rate of release in chewing gum.

15

In addition, other efforts have been directed at perfecting the use of high-potency sweeteners within the chewing gum formulation, to thereby increase the shelf-life stability of the ingredients, *i.e.* the protection against degradation of the high-potency sweetener over time.

20

25

A recently identified class of high potency sweeteners are N-substituted derivatives of aspartame. Some of these sweeteners may give a long lasting sweetness release when used in chewing gum, while others may give a fast release that may not be compatible with the release of flavor. By modifying N-substituted derivatives of aspartame by various methods, a

ERROR: ioerror
OFFENDING COMMAND: image

STACK:

. . . . . .

-savelevel-